

Application No.: 09/910170

Docket No.: MWS-041

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Currently amended) A computer implemented method comprising:
identifying portions of a model as being either critical to a real-time execution of the model or non-critical to a real-time execution of the model; and
generating code that is capable of real-time execution based on the critical portions of the model.
2. (Original) The method of claim 1 wherein non-critical portions are post-processing units.
3. (Previously presented) The method of claim 2 wherein post-processing units are logical units of the model that have no synchronized data outputs that feed non-post-processing sections of the model.
4. (Original) The method of claim 1 wherein generating further comprises establishing an inter-process communication link between the code and the non-critical portions of the model.
5. (Original) The method of claim 4 further comprising receiving output from the code via the inter-process communications link.
6. (Original) The method of claim 5 further comprising executing the code on a target processor.
7. (Original) The method of claim 5 further comprising processing the output in the non-critical portions of the model.
8. (Original) A computer program product residing on a computer readable medium having instructions stored thereon which, when executed by a processor, cause the processor to:

Docket No.: MWS-041

Application No.: 09/910170

identify portions of a model as being either critical to a real-time execution of the mode or non-critical to a real-time execution of the model; and
generate code that is capable of real-time execution based on the critical portions of the model.

9. (Original) A processor and memory configured to:
identify portions of a model as being either critical to a real-time execution of the model or non-critical to a real-time execution of the model; and
generate code that is capable of real-time execution based on the critical portions of the model.

10. (Currently amended) A computer implemented method comprising:
specifying a model, the model including sections, a first subset of the sections designated post-processing unit sections and a second subset of the sections designations as core processing unit sections; and
generating software source code for the model with a code generator using the second subset.

11. (Original) The method of claim 10 wherein the post-processing unit sections are logical units of the model that have no data outputs that feed core processing until sections.

12. (Original) The method of claim 10 further comprising:
linking the code to the first subset of sections through an inter-process communication link; and
executing the code on a target processor.

13. (Original) The method of claim 10 wherein specifying the model comprises receiving a user input through a graphical user interface (GUI).

14. (Original) The method of claim 10 wherein generating comprises applying a set of software instructions resident in the code generator to the second subset.

Docket No.: MWS-041

Application No.: 09/910170

15. (Original) the method of claim 12 further comprising:
receiving output from the code via the inter-process communications link; and
processing the output in the first subset.
16. (Original) A system comprising a graphical user interface (GUI) adapted to
receive user inputs to specify components of a model, the components containing a first subset
of sections designated as post-processing elements of a model and a second subset of sections
designated as core elements of the model.
17. (Original) The system of claim 16 further comprising an automatic code
generator to generate code capable of real-time execution based on the second subset of
sections.
18. (Original) The system of claim 17 wherein the second subset includes elements
representing essential computational components of the model.
19. (Original) The system of claim 16 further comprising a link to provide inter-
process communication between the code and the first subset of sections of the model.
20. (Original) The system of claim 19 wherein the first subset is non-real time post-
processing sections.
21. (Original) The system of claim 16 wherein the automatic code generator
comprises a set of pre-defined instructions resident in the automatic code generator to generate
code corresponding to the second subset.
22. (Previously presented) The system of claim 21 wherein the code is high level
programming language.
23. (Original) The system of claim 16 further comprising a compiler for compiling
the code for a target processor.

Docket No.: MWS-041

Application No.: 09/910170

24. (Previously presented) A method comprising:
receiving user input through a graphical user interface (GUI) specifying a block diagram model, the block diagram model including sections, a first subset of sections designated post-processing unit sections and a second subset of the section designated as core processing unit sections;
generating software source code for the block diagram model with a code generator using the second subset;
connecting the software source code to the first subset via an inter-process communication link; and
compiling the software source code into executable code.
25. (Original) The method of claim 24 further comprising executing the executable code on a target processor.
26. (Original) A computer program product residing on a computer readable medium having instructions stored thereon which, when executed by the processor, cause the processor to:
specify a model, the model including sections, a first subset of the sections designated-post-processing unit sections and a second subset of the sections designated as core processing unit sections; and
generate software source code for the model with a code generator using the second subset.
27. (Original) The computer program product of claim 26 wherein the computer readable medium is a random access memory (RAM).
28. (Original) The computer program product of claim 26 wherein the computer readable medium is read only memory (ROM).
29. (Original) The computer program product of claim 26 wherein the computer readable medium is hard disk drive.

Docket No.: MWS-041

Application No.: 09/910170

30. (Original) A processor and a memory configured to:
specify a block diagram model, the block diagram model including data having
internal pre-defined data storage classes and external custom data storage classes; and
generate software source code for the block diagram model with a code generator
using the internal predefined data storage classes and the external custom data storage classes.
31. (Original) The processor and memory of claim 30 wherein the processor and the
memory are incorporated into a personal computer.
32. (Original) The processor and memory of claim 30 wherein the processor and the
memory are incorporated into a network server residing in the Internet.
33. (Original) The processor and memory of claim 30 wherein the processor and the
memory are incorporated into a single board computer.
34. (Previously presented) A computer program product residing on a computer
readable medium having instructions stored thereon which, when executed by the processor,
cause the processor to:
receive user input through a graphical user interface (GUI) specifying a block
diagram model, the block diagram model including sections, a first subset of the sections
designated post-processing unit sections and a second subset of the section designated as core
processing unit sections;
generate software source code for the block diagram model with a code generator
using the second subset;
connect the software source code to the first subset via an inter-process
communication link; and
compile the software source code into executable code.
35. (Previously presented) A processor and a memory configured to:
receive user input through a graphical user interface (GUI) specifying a block
diagram model, the block diagram model including sections, a first subset of the sections

Docket No.: MWS-041

Application No.: 09/910170

designated post-processing unit sections and a second subset of the section designated as core processing unit sections;

generate software source code for the block diagram model with a code generator using the second subset;

connect the software source code to the first subset via an inter-process communication link; and

compile the software source code into executable code.

36. (Previously presented) The method of claim 5 further comprising executing the code on a host in a target process.

37. (Previously presented) The method of claim 7 further comprising displaying the output.

38. (Previously presented) The method of claim 7 further comprising archiving the output.

39. (Previously presented) The method of claim 10 wherein the post-processing unit sections are logical units of the model that have non-synchronized data outputs that feed core processing unit sections.

40. (Previously presented) The system of claim 18 wherein the second is executed in real-time on a target computer.

41. (Previously presented) The system of claim 20 wherein the post-processing sections provide non-synchronized output to the second subset.

42. (Previously presented) The method of claim 1 in which post-processing units are logical units of the model that have non-synchronized data outputs that feed core processing unit section.